



HOMEOWNER EDITION

Vuba Stone Surfacing

Modern, environmentally friendly and aesthetically impactful surfacing manufactured by Vuba Stone.



A photograph of a modern, single-story building with a light-colored facade and large, dark-framed windows. The building is situated on a gravel driveway. The foreground is filled with the texture of the gravel. In the background, there are trees and a clear blue sky. The overall scene is bright and clean, suggesting a high-quality construction or renovation project.

Surfacing Reinvented

Contents

Vuba Socials

Page 1

Why Choose Vuba?

Page 2

VubaMac & Overlay

Page 3-4

Projects

Page 5-14

Commercial Application

Page 15-16

Popular Blends

Page 17-18

Borders, Patterns and Color Combinations

Page 19-20

VubaVert

Page 21-22

Vusion

Page 23-24


Vuba In the Americas

Page 25-26

Aftercare & Cleaning

Page 27-28

poseidon




The Vuba Socials.



4.4M +
TikTok Likes



443k +
TikTok Followers



Follow **@vubastone** on
Instagram for all of our
Americas content!

Why Choose Vuba Stone?

Vuba Stone Surface is a permeable, SuDS-compliant and highly decorative paving system. Vuba is perfect for providing a durable, design-led and environmentally friendly solution in housing developments, public buildings, private entrances and more.



Warranty

- 8 Year Warranty for Overlays
- 10 Year Warranty for VubaMac with 3 Year No Crack Guarantee



100% Permeable

Vuba Stone is completely permeable, allowing water to pass through effortlessly. This feature helps protect your property from flooding.



Low Maintenance

A resin bonded surface requires minimal maintenance to preserve its aesthetics. We recommend periodic inspections every 2-3 years to ensure its durability.



Improves Curb Appeal

Create stunning curb appeal with Vuba Stone, combining our incredible Spanish marble with our durable resin for a truly remarkable finish.



Polyurethane Resin Binder

Vuba Stone features a UV-resistant polyurethane resin binder, which protects it from color shifting and fading, ensuring your surface stays vibrant and beautiful.



Authentic Spanish Marble


We offer 32 unique blends of authentic Spanish marble to match or complement your existing color scheme.

UV Stability

Engineered for all climates worldwide, Vuba Stone delivers unmatched durability. In 2023, we introduced Vuba World Resin offering the highest concentration of UV protection for superior performance.


Proven performance!

Vuba World Resin has proven its durability in various locations including Arizona, Dubai and Mexico!



VubaMac & Overlay

Vuba Stone Full System



57% Higher Flexural
STRENGTH
than Asphalt.

Benefits




54 gallons / min / sq.ft permeates through
This allows for environmental advantages and efficient filtration.



Less Dig
Complies with SuDS (Sustainable Drainage Systems) without the need for asphalt or concrete.



Enhanced Warranty
8 year warranty upgraded to 10 years when installed on VubaMac.



1 Day of Application
Save time by installing your base and surface on the same day.

What's in a kit?



4KG of VubaMac Resin



12KG of MacMix



4 bags of recycled quartz



Structural Reinforcement Mesh

STRENGTH AFTER 5 YEARS

Vuba Stone



Epoxy



*When compared on a flexural strength test in the Vuba Laboratory in a weathering machine




No damage after 1000 wheel passes at 113°F



Product Description

Vuba SRM is a structural reinforcement mesh developed using technology to reinforce earth structures. It can be applied within Resin Bonded surfaces and over other surfaces such as concrete to mitigate movement and subsequent cracking.

Roll Dimensions




Topping System Overlay

Cover and Repair Existing Concrete and Asphalt



Benefits



Cost Effective
Economical solution for enhancing existing surfaces, eliminating the need for costly removal and replacement.



Bridge Cracks
Overlays can seamlessly bridge cracks, delivering a smooth and uniform finish while strengthening the surface.



Can Hold 30,000 lbs
Engineered for durability, overlays can withstand loads of up to 30,000 lbs, making them suitable for heavy-duty applications.



UV Stability
Ensuring long-lasting color retention and resistance to sun damage for an enduring, attractive look.



8 Year Manufacturer's Warranty
We provide an 8 year manufacturer's warranty when installed per our recommended overlay guidelines, including SRM.



Learn more with our team:



sales@vuba-stone.com



vuba-stone.com

INSTALLED BY



Texas, USA



Big Sur

This blend of small, multicolored stones—featuring shades of black, white, beige, and gold—creates a natural, textured surface perfect for decorative flooring or outdoor pathways.



Scan me!

To view Big Sur on our website.

INSTALLED BY  RESURFACE

12385




Saskatchewan, Canada



Poseidon

This popular aggregate blend embodies a striking combination of varying shades of grey, from light to darker granite hues. This results in a sleek, modern look that complements any space.



Scan me!

To view Poseidon on our website.

INSTALLED BY



British Virgin Islands



Rio Medina

The soft, creamy tones of Ivory Marble harmonize beautifully with the sparkling clarity of Coshel Quartz, creating a refined and unique blend that stands out in any project.



Scan me!

To view Rio Medina on our website.

INSTALLED BY



OGBURN CONCRETE
LEVELING & RESURFACING

Virginia, USA

POROUS
PAVING
SuDS
Compliant

Monticello

This blend features a striking mix of grey, black, white, and golden-toned aggregates, creating a natural yet sophisticated look perfect for durable and decorative surfacing.



Scan me!

*To view Monticello on
our website.*

INSTALLED BY



Washington, USA



Monument Valley

This blend showcases a warm, desert mix of rich reds, golds, and earthy tones—delivering a stunning, natural aesthetic that is perfect for decorative flooring or outdoor pathways.




Scan me!

To view Monument Valley on our website.

INSTALLED BY



OGBURN CONCRETE
LEVELING & RESURFACING



Virginia, USA



Palazzo

This blend features a mix of darker grey tones with the refined, lighter hues of Paloma. The fusion of dark and light aggregates enhances depth and texture, creating a visually dynamic surface.



Scan me!

*To view Palazzo on
our website.*

INSTALLED BY



BC, Canada



Manhattan

Manhattan is made up of our White Grey Marble aggregate, that complements both modern and traditional outdoor spaces. The mix of soft grey tones with subtle specks of darker and lighter shades creates a natural stone effect.



Scan me!

To view Manhattan on our website.

INSTALLED BY



POROUS PAVING SYSTEMS

Port St Lucie, Florida

POROUS
PAVING
SuDS
Compliant

Ellis Island

This blend features a warm and vibrant mix of Red Granite, Coshel and Ivory aggregates. With its rich mix of warm reds, amber, and natural stone hues, it creates a striking contrast around pools and patios.



Scan me!

*To view Ellis island
on our website.*

INSTALLED BY



Florida, USA



Sistine Chapel

Sistine Chapel features soft ivory, warm beige, and gentle stone greys, creating a classic, natural look that beautifully complements both traditional and modern architecture. Ideal for pool surrounds, patios, and walkways.



Scan me!

*To view Sistine Chapel
on our website.*

INSTALLED BY



Florida, USA



Ipanema Beach

This combination features the light, creamy tones of Ivory Marble paired with the soft elegance of Paloma Marble. Together, they create a bright and sophisticated surface that enhances any space.



Scan me!

*To view Ipanema Beach
on our website.*




Commercial Application

Vuba Stone is a trusted surfacing solution for commercial projects around the world. In 2024, we supplied the world's largest Vuba Stone commercial project, covering a total of 306,000 sq.ft. This impressive project features VubaMac as the base layer, topped with Vuba Stone, creating a fully permeable system.



**Mexico City,
Mexico**

INSTALLED BY





Most Popular Blends

A selection of the most popular and traditional blends across the Americas, perfect for both commercial and residential projects. These blends are designed to elevate your outdoor spaces with lasting beauty.



Poseidon



Cano Cristales



Manhattan



Rio Medina



Poseidon

Manhattan

Borders, Patterns and Color Combinations

Vuba Stone can be used to create unique designs using patterns, borders and color pairings for a bespoke driveway or outdoor living area. Match the colors and personality of your home with a color pairing of your choice.






VubaVert

VubaVert Universal Tack Coat and Binder is the ideal solution to achieve vertical aggregate surfaces like garden walls and steps. Easy to apply and weather-resistant, it ensures a strong, lasting bond for a professional finish that enhances your outdoor space.







VUSION
by VUBA

Can't decide?

Experience the magic of Vusion technology!

“

With Vusion, we can take a photo of their actual space and show them exactly how different Vuba colors will look. Vusion has streamlined our process, improved customer experience, and made our presentations feel more polished and professional.

– Stephen Ogburn, Ogburn Construction

”



Scan me

To visualize your driveway!

VUSION
by VUBA



VUSION
by VUBA



VUSION
by VUBA



Vuba in the Americas.



70+ Countries have Vuba Stone Installed



10 Million Sq.Ft Worldwide



Over **120 Installers** in the Americas



Exhibiting at World of Concrete **since 2023**



100,000 Sq.Ft in Manufacturing & Warehousing



14 Distribution Locations across North America – and growing!



View our Distributors Page
on the Vuba Stone website.

Vuba Stone Cleaning and Aftercare Guide



POST INSTALLATION CARE



Healing Time

Do not walk on your new Vuba Stone surface for 24-48 hours and do not drive for 48-72 hours after installation.



Don't Allow Spills

Make sure there are no spills on the resin while it is curing because excess moisture can build up. This will cause the Vuba Stone surface to weaken and discolor during the curing process. Continued spills cause erosion over a long period of time, which will cause the surface to degrade.



Footprint Marks

Make sure that no people or pets walk on the newly installed surface. Paw prints cannot be removed! Animal deterrents such as tape or barriers around the perimeter can be used.

The 5 Most Important Details To Remember



Static Wheel/Small Turns

The pressure generated by static spinning can dislodge aggregates from the surface. Once the matrix has been broken, the surface will weaken and fall off. It is very important that vehicle wheels do not spin when stationary or moving slowly, and small spins should be avoided.



Impact Damage/High Point Loads

Be careful not to drop heavy equipment on the driveway, such as skips. Note that these can often leak rust, which can be difficult to clean. Hydraulic jacks can sink the surface of the resin paving. To use the latter, they should be placed on a wooden board to distribute the load.



Chemicals and Stains

Gasoline, solvents, and similar liquids should ideally not come into contact with the resin surface. In the event of spills, dilute and clean up immediately. Solvents and some chemicals will degrade the resin, causing the stones to come loose over time.



Filtration/Discoloration

Like all paving surfaces, resin paving will discolor if permanently covered over a long-term basis with a close contact object. Discoloration occurs due to leaching and lack of exposure to air or sunlight. An example would be placing a flat-bottomed flower pot or storage box on it. Use elevated planters and avoid storing items such as boxes on the surface.



Rejuvenate Your Surface

A great way to extend the life of your driveway is to seal the surface after a deep cleaning. This can be done using a diluted UV polyurethane resin sealer. We recommend doing this 5-10 years after installation.

Cleaning Tips



Cleaning Practices

It is very good practice to regularly clean your resin surface. For lighter colors, it will be even more important to perform frequent cleaning.

Resin surfaces can be cleaned with a pressure washer; it is recommended to hold the lance at a 90 degree angle and at least 12 inches from the surface. Cleaning too close can cause aggregates to break off.



Oil, Dirt and Debris

Oil can easily penetrate hard surface materials (particularly lubricating oil or fuel) but should not stain if spills are removed promptly with an absorbent material. If the stain persists, an emulsifying degreaser should be used.

Prolonged contact with any solvent should be avoided; contact Vuba for advice if you are unable to remove the stain.



Herbs, Moss and Lichens

There should be a permeable membrane under the base to prevent weed growth from underground. The absence of a membrane will result in weed growth through the resin paving, as the resin surface will not be able to prevent this. It is also possible for weeds to grow on the resin surface, but these can be easily removed with a pressure washer.

Organic growth, such as moss, lichens and algae, can be common on hard surfaces where the area is heavily shaded or under trees. If such growth occurs, the area should be treated with the appropriate product, following the manufacturer's instructions.



Fruits, Berries and Leaves

Fruits and leaves can stain all types of paving surface, so care must be taken to clean them from the resin surface before they begin to leach into the resin paving.

For dirty areas, it is recommended to use a mixture of liquid sodium hypochlorite (NaClO), obtained from pool maintenance suppliers, and a non-oxidising shampoo (e.g. baby shampoo).

Dilute 1.5 liters of sodium hypochlorite with 4.5 liters of water and add 100 ml of baby shampoo. If possible, the mixture should be applied with a pump sprayer and treat the entire area, not just individual spots.

Pre-wet the entire area with clean water and spray the cleaning liquid onto the surface. Gently scrub the area with a stiff-bristled brush. After 15 minutes, wash the surface with clean water, making sure the residue does not run off onto any vegetation.



Rust and Tire Marks

Rust can come from two sources. Typically, it is caused by leakage from grills, flower baskets, and other metal garden objects. Care must be taken to prevent these objects from leaking rust onto the resin surface.

Natural aggregates in resin paving may contain pyrite which, when exposed to rain or dew, can begin to rust. Unfortunately, this is one aspect of resin paving that, although very rare, can occur naturally.

Either cause of rust can be cleaned with a non-acidic rust remover. Follow the manufacturer's instructions for more information.

Tire marks can usually be removed by steam cleaning or by scrubbing the area with detergent and hot water.



Follow us on our social networks:



@Vubastone

Follow us on Instagram



@vubaresinproducts

Follow us on Instagram



Vuba Resin Products

Subscribe to our YouTube channel



@VubaResin

Follow our TikTok



@Vuba

Like and follow us on Facebook

Vuba UK

Building 3 @ The Dock
Fruit Market,
Hull, HU1 1UU
(+44) 1482 778897

North American Office

1619 Diamond Springs Road, STE F,
Virginia Beach, VA 23455
(912) 335-5987



View our Distributors Page
on the Vuba Stone website.